

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b	General Purpose
---	------------------------

Single rate all times

- Standing charge	\$/customer pa	\$26.785
- Unit rate	¢/kWh	9.298

A10X / F10X^a / T10X^b	Flexible
---	-----------------

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; **Non-summer period:** All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$26.785
-------------------	----------------	----------

Summer rates

- Peak Unit rate	¢/kWh	14.884
- Shoulder Unit rate	¢/kWh	9.298
- Off Peak Unit rate	¢/kWh	4.370

Non-summer rates

- Peak Unit rate	¢/kWh	14.884
- Shoulder Unit rate	¢/kWh	9.298
- Off Peak Unit rate	¢/kWh	4.370

A10I / F10I^a / T10I^b	Time of Use Interval Meter (closed to new entrants)^c
---	--

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$26.785
- Peak Unit rate	¢/kWh	14.884
- Off Peak Unit rate	¢/kWh	2.785

A140	Time of Use (closed to new entrants)
-------------	---

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$47.876
- Peak Unit rate	¢/kWh	11.996
- Off Peak Unit rate	¢/kWh	3.068

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A180	Off Peak Heating Only (dedicated circuit)		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only. This tariff is not available to new or existing customers that install embedded generation ^d <i>11 PM to 7 AM AEST all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	2.764
Small Business			
Only available to non-embedded network customers:			
a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and			
b) where supply is not taken from an on-site OR dedicated substation			
A200 / F200^a / T200^b	General Purpose		
	Only available to customers with a single rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW <i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$70.141
	- Unit rate	¢/kWh	10.980
A210 / F210^a / T210^b	Time of Use Weekdays		
	Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW <i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$120.768
	- Peak Unit rate	¢/kWh	13.224
	- Off Peak Unit rate	¢/kWh	2.946
A230 / F230^a / T230^b	Time of Use Weekdays - Demand		
	Only available to customers with a meter capable of measuring demand <i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$283.843
	- Peak Unit rate	¢/kWh	8.018
	- Off Peak Unit rate	¢/kWh	3.000
	- Demand rate	\$/kW pa	\$69.409
	Minimum Chargeable Demand	60 kW	
A250 / F250^a / T250^b	Time of Use Extended (closed to new entrants)		
	Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW <i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$120.768
	- Peak Unit rate	¢/kWh	11.733
	- Off Peak Unit rate	¢/kWh	3.167

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A270 / F270^a / T270^b	Time of Use Extended - Demand (closed to new entrants)		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$283.843
	- Peak Unit rate	¢/kWh	6.742
	- Off Peak Unit rate	¢/kWh	3.128
	- Demand rate	\$/kW pa	\$69.409
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	11.788
	- Off Peak Unit rate	¢/kWh	2.998

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300^a / T300^b	LV 0.4 - 0.8 GWh		
	Only available to non-embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,203.810
	- Peak Unit rate	¢/kWh	4.564
	- Off Peak Unit rate	¢/kWh	1.892
	- Demand rate	\$/kW pa	\$114.012
	Minimum Chargeable Demand	120 kW	
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
	Only available to embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,203.810
	- Peak Unit rate	¢/kWh	4.514
	- Off Peak Unit rate	¢/kWh	1.892
	- Demand rate	\$/kW pa	\$118.636
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A320	LV 0.8⁺ - 2.2 GWh		
Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$3,940.022
	- Peak Unit rate	¢/kWh	4.037
	- Off Peak Unit rate	¢/kWh	1.877
	- Demand rate	\$/kW pa	\$106.395
	Minimum Chargeable Demand	250 kW	
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$3,940.022
	- Peak Unit rate	¢/kWh	3.815
	- Off Peak Unit rate	¢/kWh	1.877
	- Demand rate	\$/kW pa	\$108.139
	Minimum Chargeable Demand	250 kW	
A340	LV 2.2⁺ - 6.0 GWh		
Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,867.398
	- Peak Unit rate	¢/kWh	4.001
	- Off Peak Unit rate	¢/kWh	1.740
	- Demand rate	\$/kW pa	\$105.358
	Minimum Chargeable Demand	250 kW	
A34E	LV_{EN} 2.2⁺ GWh		
Only available to embedded network customers consuming > 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,867.398
	- Peak Unit rate	¢/kWh	3.553
	- Off Peak Unit rate	¢/kWh	1.736
	- Demand rate	\$/kW pa	\$106.880
	Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)[°]		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$4,712.844
	- Peak Unit rate	¢/kWh	4.200
	- Off Peak Unit rate	¢/kWh	1.733
	- Demand rate	\$/kW pa	\$74.455
	Minimum Chargeable Demand	250 kW	
A370	LV 6.0⁺ GWh		
	Only available to non-embedded network customers consuming > 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$10,535.199
	- Peak Unit rate	¢/kWh	3.662
	- Off Peak Unit rate	¢/kWh	1.669
	- Demand rate	\$/kW pa	\$101.453
	Minimum Chargeable Demand	450 kW	
A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)[°]		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 GWh		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$7,779.393
	- Peak Unit rate	¢/kWh	3.776
	- Off Peak Unit rate	¢/kWh	1.669
	- Demand rate	\$/kW pa	\$73.652
	Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV		
	Only available to non-embedded network customers consuming < 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$13,673.139
	- Peak Unit rate	¢/kWh	3.520
	- Off Peak Unit rate	¢/kWh	1.182
	- Demand rate	\$/kW pa	\$84.808
	Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A40E	HV_{EN}		
	Only available to embedded network customers		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$13,673.139
	- Peak Unit rate	¢/kWh	3.257
	- Off Peak Unit rate	¢/kWh	1.182
	- Demand rate	\$/kW pa	\$84.448
	Minimum Chargeable Demand	1,000 kW	
A40R	HV_{RF} (closed to new entrants)^e		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$13,673.139
	- Peak Unit rate	¢/kWh	3.520
	- Off Peak Unit rate	¢/kWh	1.182
	- Demand rate	\$/kW pa	\$79.418
	Minimum Chargeable Demand	1,000 kW	
A480	HV - Annual Consumption ≥ 55 GWh		
	Only available to non-embedded customers consuming ≥ 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$14,064.584
	- Peak Unit rate	¢/kWh	3.276
	- Off Peak Unit rate	¢/kWh	1.095
	- Demand rate	\$/kW pa	\$78.714
	Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$52,260.713
	- Peak Unit rate	¢/kWh	2.334
	- Off Peak Unit rate	¢/kWh	0.681
	- Demand rate	\$/kW pa	\$26.049
	Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$52,260.713
	- Peak Unit rate	¢/kWh	2.334
	- Off Peak Unit rate	¢/kWh	0.681
	- Demand rate	\$/kW pa	\$26.049
	Minimum Chargeable Demand	15,000 kW	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$34,782.792
	- Peak Unit rate	¢/kWh	2.360
	- Off Peak Unit rate	¢/kWh	0.689
	- Demand rate	\$/kW pa	\$9.053
	Minimum Chargeable Demand	15,000 kW	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "T" can only be made by the customer's retailer.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>